

Rectangular Tubing

	Wall Thickness	Lbs Per Ft.
2x1	0.065	1.22
	0.100	1.82
	0.125	2.21
3 X 1 1/2	0.125	3.47
	0.188	5.06
3x2	0.125	3.91
	0.188	5.61
	0.250	7.11
	0.313	8.15
3 1/2 X 2 1/2	0.125	4.74
	0.188	6.86
4x2	0.125	4.76
	0.188	6.89
	0.250	8.81
	0.313	10.27

Rectangular Tubing

	Wall Thickness	Lbs Per Ft.
4x3	0.188	8.17
	0.250	10.50
	0.313	12.69
	0.375	14.29
5x2	0.188	8.17
	0.250	10.50
	0.313	12.69
	0.375	14.29
5 X 2 1/2	0.188	8.68
	0.250	11.17
	0.313	13.46
	0.375	15.57
5x3	0.188	9.45
	0.250	12.20
	0.313	14.52
	0.375	17.30

Rectangular Tubing

	Wall Thickness	Lbs Per Ft.
6x2	0.188	9.45
	0.250	12.20
6x3	0.188	10.71
	0.250	13.91
	0.375	19.39
6x4	0.188	12.00
	0.250	15.60
	0.313	19.04
	0.375	22.40
	0.438	25.47
7x5	0.188	14.55
	0.250	19.00
	0.313	23.28
	0.375	27.45

Rectangular Tubing

	Wall Thickness	Lbs Per Ft.
8x2	0.125	8.14
	0.188	11.99
	0.250	15.60
	0.313	19.04
	0.375	22.35
8x4	0.188	14.60
	0.250	19.00
	0.313	23.28
	0.375	27.50
8x6	0.188	17.10
	0.250	22.40
	0.313	27.52
	0.375	32.60
	0.500	42.05
8 1/2 X 2	0.188	12.70

Rectangular Tubing

	Wall Thickness	Lbs Per Ft.
10 x6	0.188	17.11
	0.250	22.40
	0.313	27.52
	0.375	37.69
	0.500	48.81
12 X 8	0.250	32.60
	0.313	40.25
	0.375	47.85
	0.500	62.40
